



UNIQUE

- WOOD PRODUCTS -



BUILDING MATERIAL SUPPLIES

Mouldings  
Stairs  
Millwork  
Flooring



**CONTACT**

(713)-462-5045

(281) 962-4592

[www.uniquewoodproducts.com](http://www.uniquewoodproducts.com)

9915 Tanner Road | Houston Tx 77041

6815 Eastheaven Blvd Building A | Houston Tx 77017

# S4S FLAT STOCK

## S4S BOARDS

Primed FJP & POPLAR

### S4S 1X2 PRIMED PINE



**041X2**  
PRIMED FINGER-JOINT  
.6875" X 1.5" X 16'

### S4S 1X4 PRIMED PINE



**041X4**  
PRIMED FINGER-JOINT PINE  
.6875" X 1.5" X 16'

### S4S 1X6 PRIMED PINE



**041X6**  
PRIMED FINGER-JOINT PINE  
.6875" X 5.5" X 16'

### S4S 1X8 PRIMED PINE



**041X6**  
PRIMED FINGER-JOINT PINE  
.6875" X 7.25" X 16'

### S4S 1X12 PRIMED PINE



**041X6**  
PRIMED FINGER-JOINT PINE  
.6875" X 11.25" X 16'

### SQUARE CRAFTSMEN STYLE

Clean lines with minimal modern aesthetic look, consider the S4S your next design project.

Recommended:

- 1x2 - Door Top | Window
- 1x4 - Casing | Crown | Window
- 1x6 - Base | Crown | Window
- 1x8 - Base | Window

### S4S 1X2 POPLAR



**891X2**  
SOLID POPLAR  
.75" X 1.5" X RANDOM LENGTHS

### S4S 1X4 POPLAR



**891X4**  
SOLID POPLAR  
.75" X 3.5" X RANDOM LENGTHS

### S4S 1X6 POPLAR



**891X6**  
SOLID POPLAR  
.75" X 5.5" X RANDOM LENGTHS

### S4S 1X8 POPLAR



**891X8**  
SOLID POPLAR  
.75" X 7.25" X RANDOM LENGTHS

### S4S 1X12 POPLAR



**891X12**  
SOLID POPLAR  
.75" X 11.25" X RANDOM LENGTHS

### SOLID POPLAR

Poplar lumber is ivory with green or brown streaks running through the heartwood.

Poplar boards uses are used as construction grade lumber, furniture, cabinet trim, millwork, shelving and decorative mouldings.

Images & Dimensions are not to scale and nominal, image represents standard profile and are subject to availability.

# S4S FLAT STOCK

## S4S BOARDS

RAW MDF

### S4S 1X2 MDF



081X2  
RAW MDF  
.6875" X 1.5" X 16'

### S4S 1X4 MDF



081X4  
RAW MDF  
.6875" X 3.5" X 16'

### S4S 1X6 MDF



081X6  
RAW MDF  
.6875" X 5.5" X 16'

### S4S 1X8 MDF



081X8  
RAW MDF  
.6875" X 7.25" X 16'

### S4S 1X12 MDF



081X12  
RAW MDF  
.6875" X 11.25" X 16'

### S4S 1X16 MDF



081X16  
RAW MDF  
.6875" X 15.25" X 16'

### S4S 1X24 MDF



081X16  
RAW MDF  
.6875" X 23.25" X 16'

### MDF BOARDS

Medium Density Fiberboard aka "MDF" is an economical product prepared by separating the leftover wood residuals, wax mixing to form the S4S shape. It is versatile usually needs to be finished with a veneer or laminate and can be painted with a quality latex paint.

### S4S 1X8 RED OAK



881X8  
SOLID RED OAK  
.75" X 7.25" X RANDOM LENGTHS

### S4S 1X8 WHITE OAK



871X8  
SOLID WHITE OAK  
.75" X 7.5" X RANDOM LENGTHS

### S4S 1X8 MAPLE

851X8  
SOLID MAPLE OAK  
.75" X 7.5" X RANDOM LENGTHS

## PANEL PLYWOOD



### C2 BIRCH PLYWOOD SPECIFICATIONS

Unique Wood Products Birch Plywood is met with the highest grading standards for strength and appearance. Birch Plywood has no holes or voids in the core of the wood, making it exceptionally sturdy. It has excellent screw-holding capabilities because the core layers are a hard birch wood versus a softer wood that can spread and loosen when screws are inserted.

Interior uses include cabinetry, furniture manufacturing, paneling, and shelving. It also meets or surpasses building code requirements for fire safety, strength, and sound transmission.

Exterior uses include specialty construction and industrial applications such as fences, soffits, truck and boxcar linings, commercial refrigerators, and other applications in which exposure to high moisture is anticipated and smoothness and/or appearance are important.

This Plywood is C2 graded meaning the “C” side has a more rough surface with visible knots and splits when compared to grade B. The “2” is the grade of the backside of the board. Grade 2 is used when color isn’t a concern. Larger knots are allowed, but they do not exceed a diameter of 3/4.

Nominal dimensions are standard 48” x 96” x (thickness)

Scan QR Code for more information on Plywood



### C2 UV BIRCH PLYWOOD SPECIFICATIONS

This Plywood is C2 graded meaning the “C” side has a more rough surface with visible knots and splits when compared to grade B. The “2” is the grade of the backside of the board. Grade 2 is used when color isn’t a concern. Larger knots are allowed, but they do not exceed a diameter of 3/4. Benefits of the UV Side is ideal for the cabinet interiors and exposed outer faces.

1S = One Side UV (Ultraviolet Cured Finished)

2S - Two Side UV (Ultraviolet Cured Finished)

Nominal dimensions are standard 48” x 96” x (thickness)

Images & Dimensions are not to scale and nominal, image represents standard profile and are subject to availability.



**BIRCH PLYWOOD**


C2 GRADE

**3/4" C-2 BIRCH**



709001  
3/4" IMPORTED BIRCH PLYWOOD

**1/2" C-2 BIRCH**



709902  
1/2" IMPORTED BIRCH PLYWOOD

**1/4" C-2 BIRCH**



709003  
1/4" IMPORTED BIRCH PLYWOOD

**1/2" C-2 BIRCH**



7099004  
SOLID POPLAR  
1/2" X 48" X 96"

**BIRCH PLYWOOD**

UV1 C2 GRADE

**3/4" UV1 C-2 BIRCH**



709905  
SOLID POPLAR  
.75" X 1.5" X RANDOM LENGTHS

**1/2" UV1 C-2 BIRCH**



709006  
SOLID POPLAR  
.75" X 3.5" X RANDOM LENGTHS

**1/4" UV1 C-2 BIRCH**



709007  
SOLID POPLAR  
.75" X 5.5" X RANDOM LENGTHS

**BIRCH PLYWOOD**

UV2 C2 GRADE

**3/4" UV2 C-2 BIRCH**



709008  
SOLID POPLAR  
.75" X 1.5" X RANDOM LENGTHS

**1/2" UV2 C-2 BIRCH**



709009  
SOLID POPLAR  
.75" X 3.5" X RANDOM LENGTHS

# MOULDING BASEBOARD

## BASEBOARD 3" - 3.25"



SANBASE - 047724  
PFJ - 3" X 7/16" X 16'



ACOL7601 - 047601  
PFJ - 3-1/4" X 7/16"



B322 - 047622  
PFJ - 3-1/4" X 9/16"

Images & Dimensions are not to scale and nominal, image represents standard profile and are subject to availability.

# MOULDING BASEBOARD


## BASEBOARD 3.25"



BCOL3 - 047314  
PFJ - 3-1/4" X 7/16"



K314- 047643  
PFJ - 3-1/4" X 9/16"



UW623 - 04623  
PFJ - 3-1/4" X 9/16"

# MOULDING BASEBOARD


## BASEBOARD 3.25" - 3.5"



B314 - 047613  
PFJ - 3-1/4" X 9/16"



EBASE - 047312  
PFJ - 3-1/2" X 9/16"



1X4 - 041X4 (SQ BASE)  
PFJ - 3-1/2" X 11/16"

Images & Dimensions are not to scale and nominal, image represents standard profile and are subject to availability.



# MOULDING BASEBOARD

## BASEBOARD 4.25" - 4.5"



UW620 - 046202  
PFJ - 4-1/4" X 9/16"



B395 - 047395  
PFJ - 4-1/2" X 9/16"



LB11 - 047611  
PFJ - 4-1/2" X 9/16"



# MOULDING BASEBOARD

## BASEBOARD 4.5" - 5.25"



B522 - 047822  
PFJ - 4-1/2" X 9/16"



B514 - 047615  
PFJ - 5-1/4" X 1/2"



B218 - 047218  
PFJ - 5-1/4" X 9/16"



Images & Dimensions are not to scale and nominal, image represents standard profile and are subject to availability.

# MOULDING BASEBOARD

## BASEBOARD 5.25"



UW618 - 04618  
PFJ - 5-1/4" X 9/16"



UW610 - 04610  
PFJ - 5-1/4" X 9/16"



UW512 - 04512  
PFJ - 5-1/4" X 9/16"



# MOULDING BASEBOARD

## BASEBOARD - 5.25-6.5"



LB11-5 - 047811  
PFJ - 5-1/4" X 9/16"



BCOL5 - 047514  
PFJ - 5-1/4" X 9/16"



B695 - 04695  
PFJ - 6-1/2" X 9/16"

Images & Dimensions are not to scale and nominal, image represents standard profile and are subject to availability.

# MOULDING BASEBOARD

## BASEBOARD 6.5"-8.25"



1X6 - 041X6  
PFJ - 5-1/2" X 11/16"



1X8 - 041X8  
PFJ - 7-1/4" X 11/16"



UW810 - 04810  
PFJ - 8-1/4" X 9/16"

# MOULDINGS DOOR CASING

## DOOR CASING 2" TO 3.5"



HWEDGE - 042323-?  
PFJ - 2-1/8" X 5/8"



ACOL7303- 047304  
PFJ - 2-1/4" X 5/8"



ACOL7304 - 047304  
PFJ - 2-1/2" X 5/8"



CR211 - 047211  
PFJ - 2-1/4" X 5/8"



C522 - 047522  
PFJ - 3-1/2" X 5/8"



ACOL7305 - 047305  
PFJ - 3-1/2" X 5/8"



LC11 - 047311  
FJP - 3-1/2" X 11/16"

C322 - 047322  
PFJ - 3-1/2" X 5/8"

# MOULDING CASING AND CROWNS



UW1 - 100217  
FJP - 3-1/2" X 1"



FLUTE5 - 107375  
PFJ - 5-1/4" X 9/16"



CR211 - 107211  
PFJ - 2-1/4" X 5/8"

## CROWN MOULDING



UW52 - 04052  
PFJ - 2-3/4" X 9/16"



UW51 - 04051  
PFJ - 3-1/4" X 9/16"



UW49 - 04049  
PFJ 3-5/8" X 9/16"



UW48 - 04048  
PFJ - 4-1/4" X 9/16"



UW45 - 04045  
PFJ - 5-1/4" X 9/16"

Images & Dimensions are not to scale and nominal, image represents standard profile and are subject to availability.

# MOULDING ASSORTED

## ASSORTED MOULDINGS



PM5 - 107105  
FJP - 1-1/8" X 11/16" X 16'



PM6 - 107106  
PFJ - 1-1/4" X 11/16" X 16'



UW233 - 00233  
PIN - 1-5/16" X 16'



UW1021-????  
PFJ - 6-1/4" X 11/16" X 16'



CR7 - 107007  
FJP - 2-1/2" X 1-1/8" X 16'



UW204 - 04204 - PRIMED  
PFJ - 1-1/4" X 1-1/4" X 16'



UW134 - 10134  
FJP - 1-1/2" X 5/8"



CR6 - 107006  
FJP - 3-1/2" X 1-1/4"

Scan QR Code for more information on Custom Mouldings



Images & Dimensions are not to scale and nominal, image represents standard profile and are subject to availability.



## MOULDING CUSTOM



UNIQUE WOOD PRODUCTS CAN CUSTOM RUN PRACTICALLY ANY MOULDING PROFILES FROM INDUSTRY STANDARD TO MATCH CUSTOM CHAIR RAILS, WAINSCOTING, BASE, CASING ETC. PLEASE VISIT OUR WEBSITE FOR MORE DETAILS AND CONTACT INFO. CUSTOM MILLWORK IS ONLY AVAILABLE AT TANNER LOCATION.

# FLOOR TRANSITION

## Base Moulding

Base Shoe & Quarter Round

### BASE SHOE



**UW126**  
UNFINISHED SHOE MOULDING  
1/2" X 3/4" X RL"

- 88126 | RED OAK SHOE
- 87126 | WHITE OAK SHOE
- 86126 | HICKORY OAK SHOE
- 85126 | MAPLE OAK SHOE
- 89126 | POPLAR OAK SHOE
- 00126 | PINE OAK SHOE
- 84126 | WALNUT OAK SHOE

### PRIMED BASE SHOE



**UW126**  
PRIMED SHOE MOULDING  
1/2" X 3/4" X FIXED LENGTH

- 04126-8 | PRIME SHOE 8'
- 04126-12 | PRIME SHOE 12'
- 04126-16 | PRIME SHOE 16'

### SQUARE SHOE



**UW128**  
PRIMED SQUARE SHOE  
1/2" X 3/4" X RL"

- 04128 | PRIME SHOE
- 88128 | RED OAK SHOE
- 87128 | WHITE OAK SHOE
- 86128 | HICKORY OAK SHOE
- 89128 | POPLAR OAK SHOE

### FLEX SHOE



**UW126**  
FLEXIBLE / STAINABLE  
SHOE MOULDING

- 05126 | FLEXIBLE OAK SHOE 14'


### QUARTER ROUND



**UW106**  
UNFINISHED QUARTER ROUND  
11/16" X 11/16" X RL"

- 88106 | RED OAK QTR ROUND
- 87106 | WHITE OAK QTR ROUND
- 86106 | HICKORY QTR ROUND
- 85106 | MAPLE QTR ROUND
- 00126 | PINE QTR ROUND
- 84126 | WALNUT QTR ROUND

### PRIMED QUARTER ROUND



**UW106**  
PRIMED QUARTER  
11/16" X 11/16" X FIXED LENGTH

- 04106-12 | PRIMED QTR ROUND 12'
- 04106-16 | PRIMED QTR ROUND 16'

### PRIMED QUARTER ROUND



**UW106**  
FLEXIBLE / STAINABLE  
QUARTER ROUND

- 05106 | FLEX OAK QTR ROUND 14'

Scan QR Code for  
more information on  
Floor Transitions



## Transition

Floor Transition & Stairnosing

### MINI BABY THRESHOLD



**UW9891**  
MINI BABY THRESHOLD  
1.25" X .6875" X RL (.375" DROP)

- 889891 | RED OAK MINI-BABY THRESHOLD
- 879891 | W. OAK MINI-BABY THRESHOLD
- 869891 | HICKORY MINI-BABY THRESHOLD
- 859891 | MAPLE MINI-BABY THRESHOLD

### MINI T MOULDING



**UW9895**  
MINI T MOULDING  
1.25" X .6875" X RL (.375" DROP)

- 889895 | RED OAK MINI T-MOULDING
- 879895 | WHITE OAK MINI T-MOULDING
- 869895 | HICKORY MINI T-MOULDING
- 859895 | MAPLE MINI T-MOULDING

### MINI SADDLE



**UW9899**  
MINI SADDLE  
1.25" X .25" X RL

- 889899 | RED OAK MINI SADDLE
- 879899 | WHITE OAK MINI SADDLE
- 869899 | HICKORY MINI SADDLE
- 859899 | MAPLE MINI SADDLE

### MINI OVERLAP REDUCER



**UW9893**  
MINI (LVT) OVERLAP REDUCER  
1.25" X 3/75" X RL (.25" DROP)

- 889893 | RED OAK MINI OVERLAP REDUCER
- 879893 | W. OAK MINI OVERLAP REDUCER
- 869893 | HICKORY MINI OVERLAP REDUCER
- 859893 | MAPLE MINI OVERLAP REDUCER


Images & Dimensions are not to scale and nominal, image represents standard profile and are subject to availability.

# FLOOR TRANSITION

## Transition

Floor Transition & Stairnosing

THRESHOLD	T-MOULDING	SADDLE	MINI OVERLAP REDUCER
			
<b>UW9892</b> THRESHOLD 1.75" X .6875" X RL (.5 DROP)	<b>UW9896</b> T MOULDING 1.75" X .75" X RL (.50" DROP)	<b>UW9898</b> SADDLE 1.75" X .25" X RL	<b>UW9897</b> OVERLAP REDUCER 1.75" X 375" X RL (.25" DROP)
<b>889892</b> RED OAK THRESHOLD <b>879892</b> WHITE OAK THRESHOLD	<b>889896</b> RED OAK T-MOULDING <b>879896</b> WHITE OAK T-MOULDING	<b>889898</b> RED OAK SADDLE <b>879898</b> WHITE OAK SADDLE	<b>889897</b> RED OAK OVERLAP REDUCER <b>879897</b> WHITE OAK OVERLAP REDUCER







**STAIR NOSING VS STAIR TREADS**

Both stair treads or stair nosing can finish off a stairway its a choice of personal preference or style. Stair nosing is economical and faster, stair treads are more uniform, exp, solid and aesthetically pleasing.

Stair nosing is the protruding edge of the stairs, with a smaller bullnose (3/4") and thickness to match existing flooring.

Stair Treads are astetically beautiful, safer, standard solid one inch full horizontal surface that finishes off each stairway step.

5/16" STAIR NOSING	3/8" STAIR NOSING	1/2" STAIR NOSING	9/16" STAIR NOSING
			
<b>8092-516</b> 5/16" STAIRNOSING 2.5" X 3/4" X 5/16" X RL	<b>8092-38</b> 3/8" STAIRNOSING 2.5" X 3/4" X 3/8" X RL	<b>8092-12</b> 1/2" STAIRNOSING 2.5" X .25" X RL	<b>UW9895</b> MINI (LVT) OVERLAP REDUCER 2.5" X 375" X RL (.25" DROP)
<b>8092RO516</b> RED OAK 5/16" STAIRNOSING <b>9082WO516</b> WHITE OAK 5/16" STAIRNOSING	<b>8092RO38</b> RED OAK 3/8" STAIRNOSING <b>8092WO38</b> WHITE OAK 3/8" STAIRNOSING <b>8092HK38</b> HICKORY 3/8" STAIRNOSING <b>8092MP38</b> MAPLE 3/8" STAIRNOSING	<b>8092RO12</b> RED OAK 1/2" STAIRNOSING <b>8092WO12</b> WHITE OAK 1/2" STAIRNOSING <b>8092HK12</b> HICKORY 1/2" STAIRNOSING <b>8092MP12</b> MAPLE 1/2" STAIRNOSING	<b>8092RO916</b> RED OAK 9/16" STAIRNOSING <b>8092WO916</b> WHITE OAK 9/16" STAIRNOSING

Images & Dimensions are not to scale and nominal, image represents standard profile and are subject to availability.

# STAIR LANDINGS

## Stair Treads

Landing Tread & Stairnosing

Scan QR Code for more information on Custom Flooring Trim and Stairs



### OVERLAP STAIRNOSING



**8099**  
3/8" OVERLAP STAIRNOSING  
2.75" X 3/4" X 5/16" X RL

**8092RO516**  
RED OAK 5/16" STAIRNOSING  
**9082WO516**  
WHITE OAK 5/16" STAIRNOSING

### OVERLAP LVT STAIRNOSING

**8097**  
1/8" STAIRNOSING  
2.75" X 3/4" X 5/16" X RL

**8092RO516**  
RED OAK 5/16" STAIRNOSING  
**9082WO516**  
WHITE OAK 5/16" STAIRNOSING

### 8090 LANDING TREAD 5-1/4" X 3/8"



**8090-38**  
3/8" LANDING TREAD  
5.25" X .375" X 1.03" X RL

**8090RO38**  
RO 3-1/4" X 3/8" LANDING TREAD  
**8091WO38**  
WO 3-1/4" X 3/8" LANDING TREAD

### 8090 LANDING TREAD 5-1/4" X 3/8"



**8091-12**  
1/2" LANDING TREAD  
3.25" X .5" X 1.03" X RL

**8091RO12**  
RED OAK 1/2" LANDING TREAD  
**8091WO12**  
WHITE OAK 1/2" LANDING TREAD

### 8090 LANDING TREAD 5-1/4" X 5/8"



**8091-58**  
5/8" LANDING TREAD  
3.25" X .625" X 1.03" X RL

**8091RO58**  
RED OAK 5/8" LANDING TREAD  
**8091RO58**  
RED OAK 5/8" LANDING TREAD

### 8090 LANDING TREAD 5-1/4" X 3/4"



**8091-34**  
3/4" LANDING TREAD  
3.25" X .75" X 1.03" X RL

**8091RO34**  
RED OAK 3/4" LANDING TREAD  
**8091RO34**  
RED OAK 3/4" LANDING TREAD

### 8091 LANDING TREAD 3-1/4" X 3/8"



**8091-38**  
3/8" LANDING TREAD  
3.25" X .375" X 1.03" X RL

**8091RO38**  
RED OAK 3/8" LANDING TREAD  
**8091WO38**  
WHITE OAK 3/8" LANDING TREAD

### 8091 LANDING TREAD 3-1/4" X 1/2"



**8091-12**  
1/2" LANDING TREAD  
3.25" X .5" X 1.03" X RL

**8091RO12**  
RED OAK 1/2" LANDING TREAD  
**8091WO12**  
WHITE OAK 1/2" LANDING TREAD

### 8091 LANDING TREAD 3-1/4" X 5/8"



**8091-58**  
5/8" LANDING TREAD  
3.25" X .625" X 1.03" X RL

**8091RO58**  
RED OAK 5/8" LANDING TREAD  
**8091RO58**  
RED OAK 5/8" LANDING TREAD

### 8091 LANDING TREAD 3-1/4" X 3/4"



**8091-34**  
3/4" LANDING TREAD  
3.25" X .75" X 1.03" X RL

**8091RO34**  
RED OAK 3/4" LANDING TREAD  
**8091RO34**  
RED OAK 3/4" LANDING TREAD

Images & Dimensions are not to scale and nominal, image represents standard profile and are subject to availability.

## MOULDING CUSTOM



UNIQUE WOOD PRODUCTS CAN CUSTOM RUN PRACTICALLY ANY MOULDING SPECIFICALLY ANY TYPE OF FLOORING TRANSITION OR STAIR NOSING TO ACCOMODATE YOUR PROJECT. PLEASE VISIT OUR WEBSITE FOR MORE DETAILS AND CONTACT INFO - CUSTOM MILLWORK IS ONLY AVAILABLE AT TANNER LOCATION.

# STAIR TREADS





SCAN QR CODE TO LEARN MORE ABOUT STAIR TREADS & RISERS

Additional species are available upon request. Our stair treads are manufactured with the highest quality machining techniques, ensuring they will last through a lifetime of use. We usually stock solid treads in red oak and white in from 42" to 96"


**CLOSED / BOX STAIRCASE (8070 TREADS)**  
 Stair treads has a wall on both sides of the stair case thus having no returns | side view

**OPEN STAIRCASE (8070MR MITERED RETURN TREADS)**  
 Stair Treads are exposed on one side | example below : Left Hand



**RETRO-FIT TREADS (8071 TREADS)**  
 Stair treads has a wall either side or both sides of the stair case thus having no returns | side view

**WIDE TREADS - CUSTOM TREADS**  
 Stair treads that are wider than one side than the other, example shows curved staircase with returns on both sides with 8030 Start-



PLEASE INQUIRE FOR DIFFERENT SPECIES, SIZES OR SHAPES.


RED OAK	WHITE OAK	HICKORY	MAPLE	WALNUT	JATOBA
MAHOGANY	CHERRY	RIFT SAWN OAK	TEAK	TIGERWOOD	ASH
SAPELE	POPLAR	BEECH	ALDER	QUARTERSAWN OAK	EUROPEAN OAK

# STAIR TREADS

## Stair Treads

### Standard & Wide Treads


**8070 STAIR TREAD | STANDARD DEPTH 11.5"**

	ITEM	DESCRIPTION	RED OAK	WHITE OAK
	8070-36	36" Width x 11.5" Depth x 1" Thick	888070RO36	878070WO36
	8070-39	39" Width X 11.5" Depth X 1" Thick	888070RO39	878070WO39
	8070-42	42" Width X 11.5" Depth X 1" Thick	888070RO42	878070WO42
	8070-48	48" Width X 11.5" Depth X 1" Thick	888070RO48	87878070WO48
	8070-48MR	48" Width X 11.5" Depth X 1" Thick	888070RO48MR	878070WO48MR
	8070-54	54" Width X 11.5" Depth X 1" Thick	888070RO54	878070WO54
	8070-54MR	54" Width X 11.5" Depth X 1" Thick	888070RO54MR	878070WO54MR
	8070-60	60" Width X 11.5" Depth X 1" Thick	888070RO60	878070WO60
	8070-72	72" Width X 11.5" Depth X 1" Thick	888070RO72	878070WO72
8070-84	84" Width X 11.5" Depth X 1" Thick	888070RO84	878070WO84	

**8070 STAIR TREAD | STANDARD DEPTH 16"**

	ITEM	DESCRIPTION	RED OAK	WHITE OAK
	807016-45	45" Width X 16" Depth X 1" Thick	88807016RO45	87807016WO45
	807016-48	48" Width X 16" Depth X 1" Thick	88807016RO48	87807016WO48
	807016-54	54" Width X 16" Depth X 1" Thick	88807016RO54	87807016WO54
	807016-60	60" Width X 16" Depth X 1" Thick	88807016RO60	87807016WO60

**8070 STAIR TREAD | STANDARD DEPTH 18"**

	ITEM	DESCRIPTION	RED OAK	WHITE OAK
	807018-45	45" Width X 18" Depth X 1" Thick	88807018RO45	87807018WO45
	807018-48	48" Width X 18" Depth X 1" Thick	88807018RO48	87807018WO48
	807018-54	54" Width X 18" Depth X 1" Thick	88807018RO54	87807018WO54
	807018-60	60" Width X 18" Depth X 1" Thick	88807018RO60	87807018WO60

**8070 STAIR TREAD | WIDE DEPTH 20"**

	ITEM	DESCRIPTION	RED OAK	WHITE OAK
	807020-45	45" Width X 20" Depth X 1" Thick	88807020RO45	87807020WO45
	807020-48	48" Width X 20" Depth X 1" Thick	88807020RO48	87807020WO48
	807020-54	54" Width X 20" Depth X 1" Thick	88807020RO54	87807020WO54
	807020-60	60" Width X 20" Depth X 1" Thick	88807020RO60	87807020WO60


Images & Dimensions are not to scale and nominal, image represents standard profile and are subject to availability.

# STAIR TREADS


## Stair Treads

Retro-Fit Treads (Standard & Wide)


**8071 STAIR TREAD | STANDARD DEPTH 11.5"**

	ITEM	DESCRIPTION	RED OAK	WHITE OAK
	8071-42	42" Width X 11.5" Depth X 5/8" with 1" BN	888071RO42	878071WO42
	8071-48	48" Width X 11.5" Depth X 5/8" with 1" BN	888071RO48	878071WO48
	8071-54	48" Width X 11.5" Depth X 5/8" with 1" BN	888071RO54	878071WO54
	8071-60	54" Width x 11.5" Depth X 5/8" with 1" BN	888071RO60	878071WO60


**8071 STAIR TREAD | WIDE DEPTH 16"**

	ITEM	DESCRIPTION	RED OAK	WHITE OAK
	807116-42	42" Width x 16" Depth x 5/8" with 1" BN	88807116RO42	87807116WO42
	807116-45	45" Width X 16" Depth X 5/8" with 1" BN	88807116RO45	87807116WO45
	807116-48	48" Width X 16" Depth X 5/8" with 1" BN	88807116RO48	87807116WO48
	807116-54	54" Width X 16" Depth X 5/8" with 1" BN	88807116RO54	87807116WO54
	807116-60	60" Width X 16" Depth X 5/8" with 1" BN	88807116RO60	87807116WO60

**8071 STAIR TREAD | WIDE DEPTH 18"**

	ITEM	DESCRIPTION	RED OAK	WHITE OAK
	807118-42	42" Width x 18" Depth x 5/8" with 1" BN	88807118RO42	87807118WO42
	807118-45	45" Width X 18" Depth X 5/8" with 1" BN	88807118RO45	87807118WO45
	807118-48	48" Width X 18" Depth X 5/8" with 1" BN	88807118RO48	87807118WO48
	807118-54	54" Width X 18" Depth X 5/8" with 1" BN	88807118RO54	87807118WO54
	807118-60	60" Width X 18" Depth X 5/8" with 1" BN	88807118ro60	87807118WO60

**8071 STAIR TREADS | WIDE DEPTH 20"**

	ITEM	DESCRIPTION	RED OAK	WHITE OAK
	807120-45	45" Width X 20" Depth X 5/8" with 1" BN	88807120RO45	87807120WO45
	807120-48	48" Width X 20" Depth X 5/8" with 1" BN	88807120RO48	87807120WO48
	807120-54	54" Width X 20" Depth X 5/8" with 1" BN	88807120RO54	87807120WO54
	807120-60	60" Width X 20" Depth X 5/8" with 1" BN	88807120RO60	87807120WO60


Images & Dimensions are not to scale and nominal, image represents standard profile and are subject to availability.



# STAIR TREADS & RISERS

Scan QR Code for more information on Custom Stair Treads

## 8070DMR - DOUBLE MITERED RETURN



BEING DIRECT STAIR TREAD MANUFACTURER, WE PRETTY MUCH ANY STYLE STAIR TREAD NEEDED UP TO 6 INCHES THICK TO 16 FEET LONG USING ANY WOOD SPECIES THAT IS AVAILABLE TO US. CUSTOM MILLWORK IS ONLY AVAILABLE AT TANNER LOCATION.

# STAIR RISERS



## 8075 STAIR RISERS

Stair risers are the vertical board that connects the flat tread to your staircase, Image shown Red Oak Treads & Risers



## 8075 STAIR RISERS

Stair risers are the vertical board that connects the flat tread to your staircase, Image shown Red Oak Treads & Risers




### 8075 STAIR RISER | ASSORTED WIDTH / HEIGHT

ITEM	DESCRIPTION	RED OAK	Primed Pine
8075-96	96" Width x 1/2" x 7.5" Thick	-	048075-96
8075-48	48" Width X 3/4" Depth X 7.25" Thick	888075-48	-


STAIR RISERS ARE ALSO AVAILABLE IN OTHER SPECIES, YOU CAN ALSO USE 1 X 8 (PAGE 5) AS RISERS, THEY ARE SOLID HARDWOOD SOLD IN RANDOM LENGTHS, PRICED PER FT, SOLD BY THE PIECE AVAILABLE. CUSTOM MILLWORK IS ONLY AVAILABLE AT TANNER LOCATION.

# TWIST & BASKET BALUSTER




ITEM NUMBER	SATIN BLACK	FLAT BLACK (Special Order)	SILVER VEIN (Special Order)	ASH GRAY (Special Order)	ANTIQUE BRONZE (Special Order)	OIL RUBBED COPPER (Special Order)	OIL RUBBED BRONZE (Special Order)
UW2550 HOLLOW	800980	800954	800921	803960	800967	800993	801017
UW2551 HOLLOW	800981	800955	800922	803961	800968	800994	801018
UW2552 HOLLOW	800982	800956	800923	803962	800969	800995	801019
UW2553 HOLLOW	800983	800957	800924	803963	800970	800996	801020
UW2554 HOLLOW	800986	800960	-	-	800973	800998	801023

# MODERN BALUSTER



ITEM NUMBER	SATIN BLACK	FLAT BLACK (Special Order)	SILVER VEIN (Special Order)	ASH GRAY (Special Order)	ANTIQUÉ BRONZE (Special Order)	OIL RUBBED COPPER (Special Order)	OIL RUBBED BRONZE (Special Order)
UW2555 HOLLOW	800979	800953	800920	803925	800966	800992	801016
UW2556 HOLLOW	800984	800958	800925	803943	800971	800997	801021
UW2557 HOLLOW	800985	800959	800926	803944	800972	802422	801022
UW2558 HOLLOW (SO)	802607	802426	-	-	802423	802424	802427

# TWIST & BASKET BALUSTER



FLAT SHOE  
UW2342



800964

ANGLED SHOE  
UW2350



800862

ITEM NUMBER	SATIN BLACK	FLAT BLACK (Special Order)	SILVER VEIN (Special Order)	ASH GRAY (Special Order)
UW2580 HOLLOW	800980	800954	800921	803960
UW2551 HOLLOW	800981	800955	800922	803961
UW2552 HOLLOW	800982	800956	800923	803962