



UNIQUE
- WOOD PRODUCTS -

metrics of stair treads



CONTACT

713.462.5045
713.462.5086 fax

www.uniquewoodproducts.com
9915 Tanner Road | Houston Tx 77041
info@uniquewoodproducts.com



8070 STAIR TREADS 1" THICK

- RED OAK - STOCKED FROM 36" TO 96"
- FABRICATED TO ORDER: RED OAK, WHITE OAK, HICKORY AND MAPLE
- CUSTOM | OTHER SPECIES AVAILABLE



WALL TO WALL STAIR TREADS



8070-36



outside dimensions - 36" x 11.5" x 1.03125"

[tread has a working tolerance of +/- .03125"]

8070-39



outside dimensions - 39.75" x 11.5" x 1.03125"

[tread has a working tolerance of +/- .03125"]

8070-42



outside dimensions - 42" x 11.5" x 1.03125"

[tread thickness has a working tolerance of +/- .03125"]


8070-45



outside dimensions - 45" x 11.5" x 1.03125"

[tread has a working tolerance of +/- .03125"]

8070-48



outside dimensions - 48" x 11.5" x 1.03125"

[tread thickness has a working tolerance of +/- .03125"]

8070-54



outside dimensions - 54" x 11.5" x 1.03125"

[tread has a working tolerance of +/- .03125"]



8070 STAIR TREADS 1" THICK

- RED OAK - STOCKED FROM 36" TO 96"
- FABRICATED TO ORDER: RED OAK, WHITE OAK, HICKORY AND MAPLE
- CUSTOM | OTHER SPECIES AVAILABLE



RED OAK TREADS (SIDE VIEW)



8070-60



outside dimensions - 60" x 11.5" x 1.03125"

[tread thickness has a working tolerance of +/- .03125"]

8070-72



outside dimensions - 72" x 11.5" x 1.03125"

[tread thickness has a working tolerance of +/- .03125"]

8070-84



outside dimensions - 84" x 11.5" x 1.03125"

[tread thickness has working tolerance of +/- .03125"]

8070-96



outside dimensions - 96" x 11.5" x 1.03125"

[tread thickness has working tolerance of +/- .03125"]



8070MR (MITERED RETURN STAIR TREADS

- USED WITH OPEN STAIRCASE
- RED OAK - STOCKED IN 48", 54" & 60"
- FABRICATED TO ORDER: RED OAK, WHITE OAK, HICKORY AND MAPLE
- CUSTOM | OTHER SPECIES AVAILABLE



MITERED RETURN 1" TREADS (LH SHOWN)



48" RED OAK LEFT HAND MITERED RETURN STAIR TREAD



48" x 11.5" (return end 12.75") x 1.03125"

48" RIGHT HAND MITERED RETURN STAIR TREAD



48" x 11.5" (return end 12.75") x 1.03125"



DOUBLE MITERED RETURN STAIR TREAD

8070-48MR



8070-54MR



8070-60MR



outside dimensions - 96" x 11.5" x 1.03125"

outside dimensions - 96" x 11.5" x 1.03125"

outside dimensions - 96" x 11.5" x 1.03125"



8010 SINGLE BULLNOSED STARTING STEP

- 48", 54", 60" & 72"
- CUSTOMRED OAK, WHITE OAK
- HICKORY & MAPLE
- CUSTOM | OTHER SPECIES AVAILABLE



RED OAK 8070 (MR), 8010 STARTING STEP AND PRIMED RISERS



WHITE OAK 8070MR TREADS, 8010 STARTING STEP & WHITE OAK RISERS



HICKORY 8070MR TREADS, 8010 STARTING STEP & HICKORY RISERS

8010-48LH

LEFT SIDE ROUNDED END

8010-48RH

RIGHT SIDE ROUNDED END



outside dimensions - 58.375" x 17.75" x 1.03125"



outside dimensions - 58.375" x 17.75" x 1.03125"

8010-54LH

LEFT SIDE ROUNDED END



outside dimensions - 64.375" x 17.75" x 1.03125"

8010-54RH

RIGHT SIDE ROUNDED END



outside dimensions - 64.375" x 17.75" x 1.03125"

8010-60LH

LEFT SIDE ROUNDED END



outside dimensions - 70.375" x 17.75" x 1.03125"

8010-60RH

RIGHT SIDE ROUNDED END



outside dimensions - 70.375" x 17.75" x 1.03125"

8010-72LH

LEFT SIDE ROUNDED END



outside dimensions - 82.375" x 17.75" x 1.03125"

8010-72RH

RIGHT SIDE ROUNDED END



outside dimensions - 82.375" x 17.75" x 1.03125"



8015 DOUBLE ROUNDED END STARTING STEP

- 48", 54" & 60"
- RED OAK, WHITE OAK
- HICKORY & MAPLE
- CUSTOM | OTHER SPECIES AVAILABLE



8015-48

DOUBLE SIDED ROUNDED END



outside dimensions - 68.75" x 12.5" x 1.0325"

8015-54

DOUBLE SIDED ROUNDED END

8015-60

DOUBLE SIDED ROUNDED END



outside dimensions - 74.75" x 12.5" x 1.0325"



outside dimensions - 80.75" x 12.5" x 1.0325"



8030 HALF CIRCLE STARTING STEP

- 48" AND 60"
- RED OAK, WHITE OAK
- HICKORY & MAPLE
- CUSTOM | OTHER SPECIES AVAILABLE



8030 RED OAK TREADS AND WHITE RISERS



8030-48LH



LEFT SIDE HALF CIRCLE END
USE WITH NEWEL

outside dimensions - 59" x 17.75" x 1.03125"

8030-48RH



RIGHT SIDE HALF CIRCLE END
USE WITH NEWEL

outside dimensions - 59" x 17.75" x 1.03125"

8030-60LH



LEFT SIDE HALF CIRCLE END
USE WITH NEWEL

outside dimensions - 71" x 17.75" x 1.03125"

8030-60RH



RIGHT SIDE HALF CIRCLE END
USE WITH NEWEL

outside dimensions - 71" x 17.75" x 1.03125"



8050 DOUBLE HALF CIRCLE STARTING STEP

- 48", 54" & 60"
- RED OAK, WHITE OAK
- HICKORY & MAPLE
- CUSTOM | OTHER SPECIES AVAILABLE



8050 HICKORY TREAD AND WHITE RISERS



8050-48



DOUBLE HALF CIRCLE END
USE WITH NEWEL

outside dimensions - 70" x 17.75" x 1.03125"

8030 WHITE OAK TREAD AND WHITE OAK RISERS

8050-54



DOUBLE HALF CIRCLE END
USE WITH NEWEL

outside dimensions - 76" x 17.75" x 1.03125"

8050-60




DOUBLE HALF CIRCLE END
USE WITH NEWEL

outside dimensions - 82" x 17.75" x 1.03125"



8040 QUARTER CIRCLE STARTING STEP

- 48" AND 60"
- CUSTOM
- RED OAK, WHITE OAK
- HICKORY & MAPLE
- OTHER SPECIES AVAILABLE



8040 RED OAK TREAD




8040-48LH



QUARTER CIRCLE END

outside dimensions - 48" x 11.5" x 1.03125"


8040-48RH



QUARTER CIRCLE END

outside dimensions - 48" x 11.5" x 1.03125"

8040-60LH



QUARTER CIRCLE END

outside dimensions - 60" x 11.5" x 1.03125"

8040-60RH




QUARTER CIRCLE END

outside dimensions - 60" x 11.5" x 1.03125"




8060 DOUBLE QUARTER CIRCLE STARTING STEP

- 48", 60" & 72"
- CUSTOM
- RED OAK, WHITE OAK
- HICKORY & MAPLE
- OTHER SPECIES AVAILABLE



8060 HICKORY OAK TREAD



8060 WHITE OAK TREAD

8060-48



DOUBLE QUARTER CIRCLE

outside dimensions - 48" x 11.5" x 1.03125"

8060-60



DOUBLE QUARTER CIRCLE

outside dimensions - 60" x 11.5" x 1.03125"




8021 THREE STEP WINDER STAIR TREADS

- RED OAK
- WHITE OAK
- HICKORY
- MAPLE
- CUSTOM




Tread "1"




- DIMENSION "A" _____
- DIMENSION "B" _____
- DIMENSION "C" _____
- DIMENSION "D" _____

Tread "3"



- DIMENSION "E" _____
- DIMENSION "F" _____
- DIMENSION "G" _____
- DIMENSION "H" _____
- DIMENSION "I" _____
- DIMENSION "J" _____
- DIMENSION "K" _____
- DIMENSION "L" _____

Tread "3"




- DIMENSION "M" _____
- DIMENSION "N" _____
- DIMENSION "O" _____
- DIMENSION "P" _____


A paper template (minimum poster paper or cardboard thickness) of the stair tread with the carpet off, is required as not all staircase are squared and perfect. Please provide as much support as you can with the stair treads such as staircase images and any dimensions that are required to fabricate the stair treads. Please allow two to six weeks for completion as custom templates are "made to order".

8022 TWO STEP WINDER STAIR TREADS

- RED OAK
- WHITE OAK
- HICKORY
- MAPLE
- CUSTOM



Tread "1"



DIMENSION "A" _____


DIMENSION "B" _____

DIMENSION "C" _____

DIMENSION "D" _____

DIMENSION "E" _____

Tread "2"



DIMENSION "F" _____

DIMENSION "G" _____

DIMENSION "H" _____

DIMENSION "I" _____

DIMENSION "J" _____

A paper template (minimum poster paper or cardboard thickness) of the stair tread with the carpet off, is required as not all staircase are squared and perfect. Please provide as much support as you can with the stair treads such as staircase images and any dimensions that are required to fabricate the stair treads. Please allow two to six weeks for completion as custom templates are "made to order".




8023 TWO STEP SQUARE EDGED STARTING TREADS

- RED OAK
- WHITE OAK
- HICKORY
- MAPLE
- CUSTOM



STEP "1"



STEP "2"



Template and measurements needed

DIMENSION "A" _____

DIMENSION "B" _____

DIMENSION "C" _____

DIMENSION "D" _____

DIMENSION "E" _____

DIMENSION "F" _____

DIMENSION "H" _____

A paper template (minimum poster paper or cardboard thickness) of the stair tread with the carpet off, is required as not all staircase are squared and perfect. Please provide as much support as you can with the stair treads such as staircase images and any dimensions that are required to fabricate the stair treads. Please allow two to six weeks for completion as custom templates are "made to order".




THREE STEP CURVED STARTING TREADS

(up to 55" first step)


- RED OAK
- WHITE OAK
- HICKORY
- MAPLE
- CUSTOM




STEP "3"



STEP "2"



STEP "1"




- DIMENSION "A" _____
- DIMENSION "B" _____
- DIMENSION "C" _____
- DIMENSION "D" _____
- DIMENSION "E" _____
- DIMENSION "F" _____
- DIMENSION "G" _____
- DIMENSION "H" _____
- DIMENSION "I" _____

A paper template (minimum poster paper or cardboard thickness) of the stair tread with the carpet off, is required as not all staircase are squared and perfect. Please provide as much support as you can with the stair treads such as staircase images and any dimensions that are required to fabricate the stair treads. Please allow two to six weeks for completion as custom templates are "made to order".

TWO STEP CURVED STARTING TREADS



- RED OAK
- WHITE OAK
- HICKORY
- MAPLE
- CUSTOM



STEP "1"



STEP "2"



DIMENSION "A" _____

DIMENSION "D" _____

DIMENSION "B" _____

DIMENSION "E" _____

DIMENSION "C" _____

DIMENSION "F" _____

A paper template (minimum poster paper or cardboard thickness) of the stair tread with the carpet off, is required as not all staircase are squared and perfect. Please provide as much support as you can with the stair treads such as staircase images and any dimensions that are required to fabricate the stair treads. Please allow two to six weeks for completion as custom templates are "made to order".



8071 RETRO-FIT STAIR TREADS

- RENOVATION & REMODELING TREADS RED OAK - STOCK 42" & 48"
- ALL OTHER SIZES: CUSTOM
- RED OAK, WHITE OAK
- HICKORY & MAPLE
- OTHER SPECIES AVAILABLE



8071-42MR



11.5" x 42" x 0.625" with 1" BN

8071-48MR



11.5" x 48" x 0.625" with 1" BN




8070 PLATFORM LANDINGS

- RED OAK - STOCK
48" X 48" X 1"
- RED OAK
- WHITE OAK
- HICKORY
- MAPLE
- CUSTOM




807048

RED OAK PLATFORM LANDINGS




807048

WHITE OAK PLATFORM LANDINGS




807048

HICKORY PLATFORM LANDINGS



807048


MAPLE PLATFORM LANDINGS





LANDING TREADS

- RED OAK
- WHITE OAK
- HICKORY
- MAPLE
- CUSTOM



8091 LANDING TREAD

5.25" X 1.03125" X RANDOM LENGTHS



8090 LANDING TREAD

3.25" X 1.03125" X RANDOM LENGTHS





CURVED STAIRCASE

- CUSTOM
- RED OAK
- WHITE OAK
- HICKORY
- MAPLE

CURVED TREADS WITH 8030 LH STEP
8010RH STARTING STEP




8005RH CUSTOM

8005LH CUSTOM



RIGHT HAND PIE SHAPED TREADS
CUSTOM

LEFT HAND PIE SHAPED TREADS
CUSTOM



Curved Staircases have Pie Shaped Treads, each tread will probably have similar dimensions, Please provide the dimension for each stair tread so that we can manufacture it accordingly. Please provide as much support as you can with the stair treads such as staircase images and any dimensions that are required to fabricate the stair treads. Please allow two to six weeks for completion as custom templates are "made to order".