



Page 1/10

# Safety Data Sheet acc. to OSHA HCS

Printing Date 04/03/2020 Revision Number 1 Revision Date 09/05/2019

## 1 Identification

- · Product identifier
- · Trade name: Fortane MBA
- · Relevant identified uses of the substance or mixture.

Industrial Use Only.

Adhesive

- · Application of the substance / the mixture Adhesive
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Royal Adhesives & Sealants Canada Ltd

266 Humberline Drive - Toronto, Ontario, Canada M9W 5X1

Tel. +1 416-679-5676 Fax: +1 416-679-0511

- · Information department: Global Regulatory Department.
- · Emergency telephone number:

Emergency Telephone Number: CANUTEC Collect: (613) 996-6666 (24-hour hotline)

# 2 Hazard(s) identification

· Classification of the substance or mixture



GHS08 Health hazard

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Muta. 1B H340 May cause genetic defects.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.



# GHS07

Acute Tox. 4 H332 Harmful if inhaled.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS07

- GHS08
- · Signal word Danger · Hazard statements
- Harmful if inhaled.

(Contd. on page 2)



Revision Number 1

Printing Date 04/03/2020

Revision Date 09/05/2019

Trade name: Fortane MBA

(Contd. of page 1)

Causes skin irritation.

Causes serious eye irritation.

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

May cause genetic defects.

May cause respiratory irritation.

May cause damage to organs through prolonged or repeated exposure.

#### · Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Do not breathe dust/fume/gas/mist/vapors/spray.

Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves/protective clothing/eye protection/face protection.

[In case of inadequate ventilation] wear respiratory protection.

If on skin: Wash with plenty of water.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

IF exposed or concerned: Get medical advice/attention.

Call a poison center/doctor if you feel unwell.

Specific treatment (see on this label).

Get medical advice/attention if you feel unwell.

Take off contaminated clothing and wash it before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

If experiencing respiratory symptoms: Call a poison center/doctor.

Wash contaminated clothing before reuse.

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 2 Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

## 3 Composition/information on ingredients

· Chemical characterization: Mixtures

· **Description**: Mixture

(Contd. on page 3)



Revision Number 1

Printing Date 04/03/2020

Revision Date 09/05/2019

Trade name: Fortane MBA

		(Contd. of page 2)
· Hazardous d	components:	
64742-48-9	Naphtha (petroleum), hydrotreated heavy	2.5-10%
101-68-8	4,4'-methylenediphenyl diisocyanate	2.5-10%
9016-87-9	diphenylmethanediisocyanate,isomeres and homologues{polymer exempt)	2.5-10%

## 4 First-aid measures

- · Description of first aid measures
- · After inhalation:

Supply fresh air or oxygen; call for doctor.

*In case of unconsciousness place patient stably in side position for transportation.* 

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Do not induce vomiting; immediately call for medical help.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

#### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray.

*Use fire fighting measures that suit the environment.* 

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters

Firefighters use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

• **Protective equipment:** Protective clothing and respiratory protective device.

## 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Use neutralizing agent.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of contaminated material as waste in accordance with federal state and local regulations.

Ensure adequate ventilation.

· Reference to other sections

Neutralization solutions:

- 1. A mixture of 90% water. 3-8% ammonium hydroxide or concentrated ammonia, and 2% liquid detergent.
- 2. A mixture of 80% water, 20% non-ionic surfactant.

Apply solution. Wait 15 minutes. Collect in open-head container. Re-apply until surface is decontaminated. Apply drum lid but DO NOT secure. Let containers vent for 72 hours allowing carbon dioxide to escape. Secure drum

(Contd. on page 4)



Revision Number 1

Printing Date 04/03/2020

Revision Date 09/05/2019

Trade name: Fortane MBA

(Contd. of page 3)

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:		
	Naphtha (petroleum), hydrotreated heavy	$350 \text{ mg/m}^3$
101-68-8	4,4'-methylenediphenyl diisocyanate	0.45 mg/m <sup>-</sup>
9016-87-9	diphenylmethanediisocyanate,isomeres and homologues{polymer exempt)	0.15 mg/m
· PAC-2:		
64742-48-9	Naphtha (petroleum), hydrotreated heavy	1,800 mg/m
101-68-8	4,4'-methylenediphenyl diisocyanate	5 mg/m <sup>3</sup>
9016-87-9	diphenylmethanediisocyanate,isomeres and homologues{polymer exempt)	3.6 mg/m <sup>3</sup>
· PAC-3:		
64742-48-9	Naphtha (petroleum), hydrotreated heavy	40,000 mg/m
101-68-8	4,4'-methylenediphenyl diisocyanate	55 mg/m <sup>3</sup>
9016-87-9	diphenylmethanediisocyanate,isomeres and homologues{polymer exempt)	22 mg/m³

# 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Open and handle receptacle with care.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about protection against explosions and fires:

Product reacts with water. Reaction may produce heat and/or gases.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Protect from moisture. Keep packages dry.
- · Information about storage in one common storage facility:

Store away from oxidizing agents.

Keep away from open flames and high temperatures.

· Further information about storage conditions:

Keep receptacle tightly sealed.

Protect from humidity and water.

Protect from contamination.

Store under dry inert gas.

Store in dry conditions.

 $\cdot \textit{Specific end use}(s) \textit{ No further relevant information available}.$ 

# 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

(Contd. on page 5)

Revision Number 1

Printing Date 04/03/2020

Revision Date 09/05/2019

Trade name: Fortane MBA

(Contd. of page 4)

Page 5/10

### 101-68-8 4,4'-methylenediphenyl diisocyanate

PEL Ceiling limit value: 0.2 mg/m³, 0.02 ppm

REL Long-term value: 0.05 mg/m³, 0.005 ppm Ceiling limit value: 0.2\* mg/m³, 0.02\* ppm

\*10-min

TLV Long-term value: 0.051 mg/m<sup>3</sup>, 0.005 ppm

#### · Additional information:

MDI products have poor warning properties, since recognition of an odor is far above the TLV. Observe OSHA regulations for respirator use (29 CFR 1910.134).

The lists that were valid during the creation were used as basis.

#### · Exposure controls

- · Personal protective equipment (see listings below)
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

#### · Breathing equipment:

Use approved respiratory protection equipment when airborne exposure is excessive. Consult the respirator manufacturer to determine the appropriate type of equipment for a given application. Observe respirator use limitations specified by the manufacturer.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

#### · Material of gloves

Nitrile rubber, NBR

Chloroprene rubber, CR

Butyl rubber, BR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

#### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

#### · Body protection:

Apron

Protective work clothing

USA

Revision Date 09/05/2019

Trade name: Fortane MBA

(Contd. of page 5)

· Information on basic physical and chemical properties				
· General Information				
· Appearance: Form:	Paste			
rorm: Color:	Pasie Red-brown			
· Odor:	Sweetish			
· Odor threshold:	Not determined.			
· pH-value:	Not determined.			
· Change in condition				
Melting point:	Undetermined.			
Boiling point:	Undetermined			
· Flash point:	Not applicable.			
· Flammability (solid, gaseous):	Not applicable.			
· Decomposition temperature:	Not determined.			
· Auto igniting:	Product is not selfigniting.			
· Danger of explosion:	Not determined.			
· Flammable limits:				
Lower:	Not determined			
Upper:	Not determined			
· Vapor pressure:	Not determined.			
· Specific gravity:	1.27			
· Relative density	Not determined.			
· Vapor density	Not determined.			
· Evaporation rate	Not determined.			
· Solubility in / Miscibility with				
Water:	Not miscible or difficult to mix.			
· Partition coefficient (n-octanol/wat	ter): Not determined.			
· Viscosity:				
Dynamic:	Not determined.			
Kinematic:	Not determined.			

# 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability

· Solvent content: Organic solvents:

Solids content:

· Other information

- · Thermal decomposition / conditions to be avoided: Moisture
- · Possibility of hazardous reactions

Contact with moisture, other materials that react with isocyanates, or temperatures above 350F, may cause polymerization.

Not available

Not available.

VOC content: <100 g/l

(Contd. on page 7)

Revision Number 1

Printing Date 04/03/2020

Revision Date 09/05/2019

Trade name: Fortane MBA

(Contd. of page 6)

- · Conditions to avoid Avoid high temperatures. Avoid freezing.
- · Incompatible materials:

Reacts with amines.

Reacts with alcohols.

Reacts with alkali (lyes).

Reacts with water.

Copper and copper alloys.

· Hazardous decomposition products:

Carbon monoxide

Carbon dioxide

Nitrogen oxides

Isocyanate

Isocyanic acid

Possible in traces.

Hydrogen cyanide (prussic acid)

# 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 value	es that are rei	levant for c	lassification:
-----------------	-----------------	--------------	----------------

## 64742-48-9 Naphtha (petroleum), hydrotreated heavy

Oral | LD50 | >5,000 mg/kg (rat)

*Dermal* | *LD50* | >3,000 mg/kg (rab)

#### 101-68-8 4,4'-methylenediphenyl diisocyanate

Oral LD50 2,200 mg/kg (mouse)

- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye:

Causes serious eye irritation.

Vapors may be irritating to the eyes.

· Sensitization:

Inhalation - Sensitization possible through inhalation.

Skin Contact - Sensitization possible through skin contact.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Irritant

· Carcinogenic categories

· IARC (Inte	ernationa	l Agen	cy for	Research on	Cancer)
101 (0 0	4 41		7. 7	7 744	

101-68-84,4'-methylenediphenyl diisocyanate39016-87-9diphenylmethanediisocyanate,isomeres and homologues(polymer exempt)3

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

USA

Revision Number 1

Printing Date 04/03/2020

Revision Date 09/05/2019

Trade name: Fortane MBA

(Contd. of page 7)

Page 8/10

# 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.

WOOD PRODUCTS -

- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: At present there are no ecotoxicological assessments.
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

# 13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Must be specially treated adhering to official regulations.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

4 Transport information	
· UN-Number · DOT, ADN, IMDG, IATA	not regulated
· UN proper shipping name · DOT, ADN, IMDG, IATA	not regulated
· Transport hazard class(es)	
· DOT, ADN, IMDG, IATA · Class	not regulated
· Packing group · DOT, IMDG, IATA	not regulated
· Environmental hazards:	Not applicable.
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex L MARPOL73/78 and the IBC Code	<b>I of</b> Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN ''Model Regulation'':	not regulated

- USA

(Contd. on page 9)

Revision Number 1

Printing Date 04/03/2020

Revision Date 09/05/2019

Trade name: Fortane MBA

(Contd. of page 8)

# 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

101-68-8 4,4'-methylenediphenyl diisocyanate

9016-87-9 diphenylmethanediisocyanate, isomeres and homologues (polymer exempt)

· TSCA (Toxic Substances Control Act):

All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements.

· Proposition 65

Please contact H.B. Fuller for more information regarding Proposition 65 on this product: reg.request@hbfuller.com.

(DSL) Canada Dosmestic Substance List

All components of this product are on the DSL(Canada Domestic Substance list) or are exempt from DSL requirements.

. Now	Ipropy	Right-to	-Know	List.
. 1161	JUSEV	ALIENU-IU	-12110111	Lusi.

101-68-8 4,4'-methylenediphenyl diisocyanate

9016-87-9 diphenylmethanediisocyanate, isomeres and homologues (polymer exempt)

· New Jersey Special Hazardous Substance List:

None of the ingredients is listed.

· Pennsylvania Right-to-Know List:

101-68-8 4,4'-methylenediphenyl diisocyanate

· Pennsylvania Special Hazardous Substance List:

101-68-8 4,4'-methylenediphenyl diisocyanate

· Cancerogenity categories

· EPA (Environmental Protection Agency)	
101-68-8 4,4'-methylenediphenyl diisocyanate	D, CBD
9016-87-9 diphenylmethanediisocyanate.isomeres and homologues(polymer exempt)	CBD

# · TLV (Threshold Limit Value established by ACGIH)

None of the ingredients listed.

### · MAK (German Maximum Workplace Concentration)

101-68-8 4,4'-methylenediphenyl diisocyanate 9016-87-9 diphenylmethanediisocyanate, isomeres and homologues (polymer exempt) 4

#### · NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · National regulations:
- · Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

· Water hazard class: Water hazard class 2 (Self-assessment): hazardous for water.

(Contd. on page 10)

Е



Revision Number 1

Printing Date 04/03/2020

Revision Date 09/05/2019

Trade name: Fortane MBA

(Contd. of page 9)

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# 16 Other information

Although the information and recommendations set forth in this SDS are presented in good faith and are believed to be correct as of the date of this SDS, Royal Adhesives & Sealants makes no representations as to the completeness or accuracy thereof. Information is supplied on the condition that the persons receiving and using it will make their own determination as to the suitability for their purpose prior to use. In no event will Royal Adhesives & Sealants or any affiliate thereof be responsible for damages of any nature whatsoever resulting from the use or reliance on the information set forth in the SDS.

## · Department issuing SDS:

Global Regulatory Department.

reg.request@hbfuller.com

- · Creation Date: 09/05/2019
- · Date of preparation / last revision 04/03/2020 / -

#### · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

Resp. Sens. 1: Respiratory sensitisation – Category 1

Skin Sens. 1: Skin sensitisation – Category 1

Muta. 1B: Germ cell mutagenicity – Category 1B

 $STOT\,SE\,3:\,Specific\,\,target\,\,organ\,\,toxicity\,\,(single\,\,exposure)-Category\,\,3$ 

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

USA

