


UNIQUE


WOOD PRODUCTS




REFERENCE BROCHURE



Base Shoe - Provides a transition between the wall and the floor. Shoe moulding is used to give the professional some leeway to hide their endcuts and slight unevenness.







Quarter Round - Provides a transition between the wall and the floor. Shoe moulding is used to give the professional some leeway to hide their endcuts and slight unevenness.





Cove Moulding - Decorative transition to cover gaps between vertical surfaces such as the stair tread or wall trim.





PRIMED WHITE SHOE MOULDING
UW126
PFJ 04126

1/2" X 3/4" X 12'

8', 12', 16' LENGTHS 600' PER BUNDLE



STAIN GRADE SHOE MOULDING
UW126
RED OAK 88126 WHITE OAK 87126 HICKORY 86126 MAPLE 85126

1/2" X 3/4"


RANDOM LENGTHS



STAIN GRADE SQUARE SHOE
UW128
RED OAK 88128 WHITE OAK 87128 MAPLE 85128 POPLAR 80128

1/2" X 3/4"


RANDOM LENGTHS



PRIME WHITE QUARTER ROUND
UW106
PFJ 04106

11/16" X 11/16" X 12'

8',12', 16' LENGTHS 480' PER BUNDLE


STAIN GRADE QUARTER ROUND
UW106
RED OAK 88106 WHITE OAK 87106 HICKORY 86106 MAPLE 85106

11/16" x 11/16"

RANDOM LENGTHS



STAIN GRADE QUARTER ROUND
UW105
RED OAK 88105 WHITE OAK 87105 HICKORY 86105 MAPLE 85105

3/4" X 3/4"

RANDOM LENGTHS


COVE

UW105


RED OAK 88093
 WHITE OAK 87093
 HICKORY 86093
 MAPLE 85093
 PINE 00093



3/4" X 3/4"





RANDOM LENGTHS



Flooring Transitions are the wood mouldings that add a professional finished look to create a smooth transition between floors (tile, carpet, vinyl, hardwood, etc) of same or different heights.

Here at Unique Wood Products, we create a flooring transition for every project. Something for every flooring, if you see something you cannot use, may it be simple, curved or complex we can create it. We in-house manufacture moulding and transitions for the residential, multi-family contractor or commercial project.


Transitions come unfinished, ready to be sanded and finished to many wood species,




SADDLE THRESHOLD
UW9898
RED OAK 889898 WHITE OAK 879898 HICKORY 869898 MAPLE 859898

1-3/4" X 5/16"

RANDOM LENGTHS


OVERLAP REDUCER
UW9897
RED OAK 889897 WHITE OAK 879897 HICKORY 869897 MAPLE 859897

1-3/4" X 3/4" X 1/8" DROP

RANDOM LENGTHS



1/2" ADA REDUCER
UW8981
RED OAK 888981 WHITE OAK 878981
1-1/2" X 1/2" X 1/8" DROP
RANDOM LENGTHS

3/8" ADA REDUCER
UW8982
RED OAK 888982 WHITE OAK 878982
1-1/2" X 3/8" X 1/8"
RANDOM LENGTHS

5/16" ADA REDUCER
UW8983
RED OAK 888983 WHITE OAK 878983
1-1/2" X 5/16" X 1/8"
RANDOM LENGTHS

Custom Curved Flooring Transitions are fabricated to your flooring specifications needs. We can create many unique curved transitions for that special project that needs a professional touch.

These curved transition are custom-tailored to a specific job so all are not the same. Most flooring trim are base on a paper template that you must provide for us. You can easily send the pattern / template through the mail with all dimensions. Provide as much details as possible for the template such as the size, wood species, images to support project, etc. Please allow additional time for custom templates as they are made-to-order.







MOST POPULAR WOOD SPECIES FOR STAIR TREADS



RED OAK



WHITE OAK



HICKORY



MAPLE



WALNUT



ALDER



ASH



CHERRY



IPE



JATOBA




MAHOGANY



POPLAR

IMAGES ABOVE ARE 8070 WITH RIGHT HAND MITERED RETURN


WHY STAIR TREADS VS STAIRNOSING?



ASTHETICALLY BEAUTIFUL TO STAIRWAY

ADDS FINISHED LOOK TO STAIRWAY

WIDER = LESS SAFETY HAZARD



ECONOMICAL WAY TO FINISH STAIRWAY

FASTER FOR CONTRACTOR TO INSTALL





DIFFERENT APPLICATION FOR STAIR TREADS

NEW CONSTRUCTION	REMODELING RENOVATIONS	FLOATING	MODERN	COMMERCIAL
STARTING STEPS	STARTING STEPS	2"-4" THICK TREADS	8072, 8073	THICK TREADS
8070 & 8072	8071 - 8073			
CUSTOM				

CLOSED / BOX STAIRCASE

Stair treads has a wall on both sides of the stair case thus having no reuturns



SIDE VIEW OF 8070 - 11-1/2" X 1" THICK WITH ROUND BULLNOSE

UNIQUE WOOD PRODUCTS CAN FABRICATE YOUR ARCHITECTURAL STAIR TREAD TO YOUR SPECIFICATION FOR YOUR RESIDENTIAL OR COMMERCIAL PROJECT.

Additional species are available upon request. Our stair treads are manufactured with the highest quality machining techniques, ensuring they will last through a lifetime of use. We usually stock solid treads in red oak and white in from 42" to 96"


8070 STAIR TREADS

RED OAK



8070 STAIR TREADS


WHITE OAK



ITEM NUMBER	RED OAK	WHITE OAK	HICKORY	MAPLE	WALNUT
8070-42 (42" x 11-1/2" x 1-1/32")	8070RO42	8070WO42	8070HK42	8070MP42	8070WT42
8070-48 (48" x 11-1/2" x 1-1/32")	8070WO48	8070WO48	8070HK48	8070MP48	8070WT48
8070-54 (54" x 11-1/2" x 1-1/32")	8070RO54	8070WO54	8070HK54	8070MP54	8070WT54
8070-60 (60" x 11-1/2" x 1-1/32")	8070RO60	8070WO60	8070HK60	8070MP60	8070WT60
8070-72 (72" x 11-1/2" x 1-1/32")	8070RO72	8070WO72	8070HK72	8070MP72	8070WT72

PLEASE INQUIRE FOR DIFFERENT SPECIES, SIZES OR SHAPES

RED OAK	WHITE OAK	HICKORY	MAPLE	WALNUT	JATOBA
MAHOGANY	CHERRY	RIFT SAWN OAK	TEAK	TIGERWOOD	ASH
SAPELE	POPLAR	BEECH	ALDER	QUARTERSAWN OAK	EUROPEAN OAK



8070 RED OAK STAIRCASE WITH LEFT HAND MITERED RETURN


Staircase that needs a return are open on one side to a room as shown.

The stair tread return is a solid stave that is bullnosed and glued on, this allows a pleasing visual apperance when viewed from side of staircase.

ITEM NUMBER	DIMENSIONS - TREADS ARE REVERSIBLE, CAN BE USED FOR EITHER LEFT HAND OR RIGHT HAND)	RED OAK	WHITE OAK
8070-48MR	48" x 11-1/2" x 1"	-	-
8070-54MR	54" x 11-1/2" x 1"	-	-
8070-60MR	48" x 11-1/2" x 1"	-	-




8070 HICKORY STAIRCASE WITH RIGHT HAND MITERED RETURN



8070 RED OAK STAIRCASE WITH LEFT HAND MITERED AND DOUBLE MITERED RETURN



8070 RED OAK LEFT HAND MITERED RETURN



8070 WHITE OAK LEFT HAND MITERED RETURN



RED OAK



WHITE OAK



HICKORY



MAPLE

Double Mitered Return (DMR) stair treads are needed when both edges of the tread are exposed. This style of tread requires a special measurement called the “throat cut”, which you will need to provide when you place your order. To find the throat cut of your Double Return tread, measure the length between the inside of the Left and Right Returned Edges.

8070DMR - DOUBLE RETURN



8070DMR - RED OAK



8070DMR - WHITE OAK




807016 RED OAK OAK 48" X 16" X 1"




807016 WHITE OAK 48" X 16" X 1"

ITEM NUMBER	RED OAK	WHITE OAK
807020-48 (48" x 11-1/2" x 1-1/32")	8070RO42	8070WO42
807020-54 (54" x 11-1/2" x 1-1/32")	8070WO48	8070WO48




807016 TREADS



CS-05



807016 TREADS



CS-02




807020 RED OAK OAK 48" X 20" X 1"




807020 WHITE OAK OAK 48" X 20" X 1"

ITEM NUMBER		RED OAK	WHITE OAK
807020-48	(48" x 11-1/2" x 1-1/32")	8070RO42	8070WO42
807020-54	(54" x 11-1/2" x 1-1/32")	8070WO48	8070WO48



CS-17


807020 TREADS



CS-19

807016 TREADS

8072 EASED EDGE STAIR TREAD



SIDE VIEW OF 8072

ITEM NUMBER	RED OAK	WHITE OAK	HICKORY	MAPLE	WALNUT
8072-42 (42" x 11-1/2" x 1")	8072RO42	8072WO42	-	-	-
8072-48 (48" x 11-1/2" x 1")	8072WO48	8072WO48	-	-	-
8072-54 (54" x 11-1/2" x 1")	8072RO54	8072WO54	-	-	-
8072-60 (60" x 11-1/2" x 1")	-	-	-	-	-
8072-72 (72" x 11-1/2" x 1")	-	-	-	-	-



8072 HICKORY EASED EDGE STAIR TREAD




8072 WHITE OAK EASED EDGE RIGHT HAND MITERED RETURN



8072 RED OAK EASED EDGE LEFT HAND MITERED RETURN



8072 WHITE OAK EASED EDGE DOUBLE MITERED RETURN



SIDE VIEW OF 8071 - 11-1/2" X 3/4" THICK WITH 1" ROUND BULLNOSE

8071 Retro-Fit Treads are designed to be installed over an existing steps

r. Retro replacement stair treads are essentially "caps" that reface as opposed to replace the steps in a stairwell and are available as a box tread, left return, right return and double return stair tread. Retro stair treads are the perfect product for do-it-yourself'ers...

Since retro style stair treads are designed to be installed over an existing step they can be installed over an existing stair without having to remove the existing stair.


8071 STAIR TREADS

RED OAK



8071 STAIR TREADS

WHITE OAK



PLEASE INQUIRE FOR DIFFERENT SPECIES, SIZES OR SHAPES

RED OAK	WHITE OAK	HICKORY	MAPLE	WALNUT	JATоба
MAHOGANY	CHERRY	RIFT SAWN OAK	TEAK	TIGERWOOD	ASH
SAPELE	POPLAR	BEECH	ALDER	QUARTERSAWN OAK	EUROPEAN OAK

UNIQUE WOOD PRODUCTS CAN FABRICATE YOUR ARCHITECTURAL STAIR TREAD TO YOUR SPECIFICATION FOR YOUR RESIDENTIAL OR COMMERCIAL PROJECT.

ITEM NUMBER	RED OAK	WHITE OAK	HICKORY	MAPLE	WALNUT
807342 (42" x 11-1/2" x 1-1/32")	8070RO42	8070WO42	8070HK42	8070MP42	8070WT42
8073-48 (48" x 11-1/2" x 1-1/32")	8070WO48	8070WO48	8070HK48	8070MP48	8070WT48

8073 RETRO-FIT TREAD



SIDE VIEW OF 8073 - 11-1/2" X 3/4" THICK WITH 1" EASED EDGE BULLNOSE

ITEM NUMBER	RED OAK	WHITE OAK	HICKORY	MAPLE	WALNUT
8073-42 (42" x 11-1/2" x 1-1/32")	8070RO42	8070WO42	8070HK42	8070MP42	8070WT42
8073-48 (48" x 11-1/2" x 1-1/32")	8070WO48	8070WO48	8070HK48	8070MP48	8070WT48


8073 STAIR TREADS

RED OAK



8073 STAIR TREADS

WHITE OAK



PLEASE INQUIRE FOR DIFFERENT SPECIES, SIZES OR SHAPES

RED OAK	WHITE OAK	HICKORY	MAPLE	WALNUT	JATOBA
MAHOGANY	CHERRY	RIFT SAWN OAK	TEAK	TIGERWOOD	ASH
SAPELE	POPLAR	BEECH	ALDER	QUARTERSAWN OAK	EUROPEAN OAK

8074 2" THICK TREADS

RED OAK



8074 2-1/2" THICK TREADS

RED OAK



8074 2" THICK TREADS

WHITE OAK



8074 2-1/2" THICK TREADS

WHITE OAK



ITEM NUMBER	RED OAK	WHITE OAK	WALNUT
8074-48-2 (48" x 12" x 2")	8070RO42	8070WO42	8070HK42
8074-48-2.5 (48" x 12" x 2.5")	8070WO48	8070WO48	8070HK48
8074-48-2.75 (48" x 12" x 2.75")			

8074 2-3/4" THICK TREADS

RED OAK



8074 2-3/4" THICK TREADS

WHITE OAK



8074 3" THICK TREADS

RED OAK



8074 3-1/2" THICK TREADS

RED OAK



8074 3" THICK TREADS

WHITE OAK




8074 3-1/2" THICK TREADS

WHITE OAK



ITEM NUMBER	RED OAK	WHITE OAK	WALNUT
8074-48-3 (48" x 12" x 3")	8074RO48.2	8074WO48.2	8074WT48.2
8074-48-3.5 (48" x 12" x 3.5")	8074WO48.25	8074WO48.25	8074WT48.25



8076 2" THICK TREADS

RED OAK



8076 2-1/2" THICK TREADS

RED OAK



8076 2" THICK TREADS

WHITE OAK



8076 2-1/2" THICK TREADS

WHITE OAK



UNIQUE WOOD PRODUCTS CAN FABRICATE YOUR ARCHITECTURAL STAIR TREAD TO YOUR SPECIFICATION FOR YOUR RESIDENTIAL OR COMMERCIAL PROJECT.

(additional species are available upon request). All of our Stair Treads are available with custom Handcrafted surfaces by request; Hand Scraped, Saw Kerf, and Wire Brushed. Our stair treads are manufactured with the highest quality machining techniques, ensuring they will last through a lifetime of use.

8076 3" THICK TREADS

RED OAK



8076 3-1/2" THICK TREADS

RED OAK



8076 3" THICK TREADS

WHITE OAK



8076 3-1/2" THICK TREADS

WHITE OAK



ITEM NUMBER	RED OAK	WHITE OAK	WALNUT
8076-48-2 (48" x 12" x 2")	8076RO48.2	8076WO48.2	8076WT48.2
8076-48-2.5 (48" x 12" x 2.5")	8076WO48.25	8076WO48.25	8076HK48.25
8076-48-3 (48" x 12" x 3")	8076WO48.3	8076WO48.3	8076HK48.3
8076-48-3.5 (48" x 12" x 3.5")	8076WO48.35	8076WO48.35	8076HK48.35
8076-48-4 (48" x 12" x 4")	8076WO48.4	8076WO48.4	8076HK48.4


8076 4" THICK TREADS


RED OAK



8076 4" THICK TREADS

WHITE OAK






STAIR RISERS ARE THE VERTICAL FACE OF THE STAIRCASE THAT ARE INSTALLED BETWEEN THE STAIR TREADS. YOU CAN CHOOSE BETWEEN PRIMED PINE (PAINT READY) OR SOLID WOOD MATERIAL TO MATCH THE STAIR TREADS.



RED OAK STAIR RISER




PRIMED WHITE RISER



WHITE OAK STAIR RISERS






HICKORY STAIR RISERS



ITEM NUMBER	PRIMED FJP	RED OAK	WHITE OAK	HICKORY
8075-48 (48" x 7-1/4" x 11/16")	048075.48	-	-	-
8075-42 (42" x 7-1/4" x 3/4")	-	888075.42	878075.42	868075.42
8075-48 (48" x 7-1/4" x 3/4")	-	888075.48	878075.48	868075.48
8075-54 (54" x 7-1/4" x 3/4")	-	888075.54	878075.54	868075.54
8075-60 (60" x 7-1/4" x 11/16")	-	888075.60	878075.60	858075.60
8075-96 (96" X 7-1/4" X 11/16")	048075.96	-	-	-

CUSTOM FABRICATED STAIR TREADS ARE OUR SPECIALTY. MADE TO SPECIFICATIONS TO THAT PARTICULAR STAIR PROJECT. WE RECOMMEND A PAPER TEMPLATE FOR STAIR TREAD APPLICATION







CUSTOM FABRICATED STAIR TREADS CONTINUE



CUSTOM FABRICATED STAIR TREADS CONTINUE








8010-8015 STARTING STEP





RED OAK - 8070LMR - 8010 - 8075 RISERS

8010
SINGLE BULLNOSE STARTING STEP REVERSIBLE
48", 54", 60" & 72" STANDARD



WHTIE OAK - 8070LMR - 8015 - 8075 PRM




8015
SINGLE BULLNOSE STARTING STEP REVERSIBLE
48", 54", 60" & 72" STANDARD







RED OAK - 8070LMR - 8010 - 8075 RISERS

8010
SINGLE BULLNOSE STARTING STEP REVERSIBLE
48", 54", 60" & 72" STANDARD



WHTIE OAK - 8070LMR - 8015 - 8075 PRM



8015
SINGLE BULLNOSE STARTING STEP REVERSIBLE
48", 54", 60" & 72" STANDARD






HICKORY - 8070LMR - 8030 - 8075 PRM

8030
SINGLE BULLNOSE STARTING STEP REVERSIBLE
48", 54", 60" & 72" STANDARD





8030-8050 STARTING STEP





WHTIE OAK - 8070LMR - 8015 - 8075 PRM

8050
SINGLE BULLNOSE STARTING STEP REVERSIBLE
48", 54", 60" & 72" STANDARD





8040-8060 STARTING STEP



8040

QUARTER CIRCLE
BULLNOSE STARTING STEP

PLEASE SPECIFY SIZE AND BULLNOSE SIDE



8060

DOUBLE BULLNOSE STARTING STEP
REVERSIBLE

PLEASE SPECIFY SIZE

